

## Analyserapport

Certicon Kwaliteitsk. BV  
Keplerlaan 14  
6716 BS EDE

Blad 1 van 7

Uw projectnaam : Onderzoek TGG Eemshaven - deelpartij 3  
Uw projectnummer : P2019-0403  
SYNLAB rapportnummer : 12999610, versienummer: 1  
Rapport-verificatienummer : T3T5PJK6

Rotterdam, 08-04-2019

Geachte heer/mevrouw,



Hierbij ontvangt u de analyse resultaten van het laboratoriumonderzoek ten behoeve van uw project P2019-0403. Het onderzoek werd uitgevoerd conform uw opdracht. De gerapporteerde resultaten hebben uitsluitend betrekking op de geteste monsters. De door u aangegeven omschrijvingen voor de monsters en het project zijn overgenomen in dit analyserapport.

Het onderzoek is uitgevoerd door SYNLAB Analytics & Services B.V., gevestigd aan de Steenhouwerstraat 15 in Rotterdam (NL). Indien het onderzoek is uitgevoerd door derden of het SYNLAB laboratorium in Frankrijk (99-101 Avenue Louis Roche, Gennevilliers) is dit in het rapport aangegeven.

Dit analyserapport bestaat inclusief bijlagen uit 7 pagina's. In geval van een versienummer van '2' of hoger vervallen de voorgaande versies. Alle bijlagen maken onlosmakelijk onderdeel uit van het rapport. Alleen vermenigvuldiging van het hele rapport is toegestaan.

Mocht u vragen en/of opmerkingen hebben naar aanleiding van dit rapport, bijvoorbeeld als u nadere informatie nodig heeft over de meetonzekerheid van de analyseresultaten in dit rapport, dan verzoeken wij u vriendelijk contact op te nemen met de afdeling Customer Support.

Wij vertrouwen er op u met deze informatie van dienst te zijn.

## Analyserapport

Projectnaam           Onderzoek TGG Eemshaven - deelpartij 3  
 Projectnummer       P2019-0403  
 Rapportnummer       12999610 - 1

Orderdatum           21-03-2019  
 Startdatum            21-03-2019  
 Rapportagedatum     08-04-2019

Nummer	Monstersoort	Monsterspecificatie
--------	--------------	---------------------

001	Grond	M1-5
002	Grond	M1-6

Analyse	Eenheid	Q	001	002
---------	---------	---	-----	-----

*ANALYSES UITGEVOERD DOOR DERDEN*

Dioxines (PCDD/PCDF)			zie bijlage	zie bijlage
I-PCDD/F-TEQ Lower Bound	ng/kgds		0	0.1
I-PCDD/F-TEQ Upper Bound	ng/kgds		5.9	5.9
WHO-PCDD/F-TEQ Lower Bound	ng/kgds		0	0.1
WHO-PCDD/F-TEQ Upper Bound	ng/kgds		6.4	6.4
PBDE			zie bijlage	zie bijlage

## Analyserapport

Projectnaam           Onderzoek TGG Eemshaven - deelpartij 3  
 Projectnummer       P2019-0403  
 Rapportnummer       12999610 - 1

Orderdatum           21-03-2019  
 Startdatum           21-03-2019  
 Rapportagedatum     08-04-2019

Analyse	Monstersoort	Relatie tot norm
Dioxines (PCDD/PCDF)	Grond	Analyse uitbesteed
I-PCDD/F-TEQ Lower Bound	Grond	Idem
I-PCDD/F-TEQ Upper Bound	Grond	Idem
WHO-PCDD/F-TEQ Lower Bound	Grond	Idem
WHO-PCDD/F-TEQ Upper Bound	Grond	Idem
PBDE	Grond	Idem

Monster	Barcode	Aanlevering	Monstername	Verpakking
001	Y7665941	21-03-2019	21-03-2019	ALC201
002	Y7665931	21-03-2019	21-03-2019	ALC201


**SYNLAB Analytics & Services Sweden AB**

 Box 1083, 581 10 Linköping, Sweden  
 Tel: + 46 13 254 900 · Fax: + 46 13 121 728  
 Registered 556152-0916 Registered office: Linköping, Sweden

 Akred. nr 1006  
 Provning  
 ISO/IEC 17025

**REPORT**

Page 1 (2)

issued by an Accredited Laboratory

**Report No. 19113572**

Assigner

 SYNLAB Analytics & Services BV  
 Rotterdam

 Steenhouwerstraat 15  
 3194 AG ROTTERDAM


Applies to

**Information about the project**
**Soil**

Project number : 12999610

**Information about sample and sampling**

Invoice reference	: P77650	Date of Arrival	: 2019-03-25
Sampling date	: 2019-03-21	Time of Arrival	: 1200
Sample name	: 12999610-001 M1-5		
Depth of sampling	: -		
Sampler	: -		

**Results of the analyses**

Test method	Analysis / Investigation of	Result	Uncertainty	Unit
SS-EN 11465	Dry substance	88.3	± 8.83	%
SIS-CEN/TS 16190:2013mod	2378 TCDD	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	12378 PeCDD	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	123478 HxCDD	< 2	± 0.70	ng/kg DS
SIS-CEN/TS 16190:2013mod	123678 HxCDD	< 2	± 0.70	ng/kg DS
SIS-CEN/TS 16190:2013mod	123789 HxCDD	< 2	± 0.70	ng/kg DS
SIS-CEN/TS 16190:2013mod	1234678 HpCDD	< 5	± 1.5	ng/kg DS
SIS-CEN/TS 16190:2013mod	OCDD	11	± 3.3	ng/kg DS
SIS-CEN/TS 16190:2013mod	2378 TCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	12378 PeCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	23478 PeCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	123478 HxCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	123678 HxCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	123789 HxCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	234678 HxCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	1234678 HpCDF	< 5	± 1.5	ng/kg DS
SIS-CEN/TS 16190:2013mod	1234789 HpCDF	< 5	± 1.5	ng/kg DS
SIS-CEN/TS 16190:2013mod	OCDF	< 10	± 3.0	ng/kg DS
Calculated acc. NATO	I-PCDD/F-TEQ Lower Bound	0.0	± 0.70	ng/kg DS
Calculated acc. NATO	I-PCDD/F-TEQ Upper Bound	5.9	± 2.1	ng/kg DS
Calculated acc. WHO2005	WHO-PCDD/F-TEQ LB	0.0	± 0.70	ng/kg DS
Calculated acc. WHO2005	WHO-PCDD/F-TEQ UB	6.4	± 2.2	ng/kg DS
	Dry substance (1)	88.9		%
GC/MS (*)	2,4,4'-TrBDE #28 (1)	< 0.2		mg/kg TS
GC/MS (*)	2,2',4,4'-TeBDE # 47 (1)	< 0.2		mg/kg TS
GC/MS (*)	2,2',4,4',5-PnBDE #99 (1)	< 0.2		mg/kg TS
GC/MS (*)	2,2',4,4',6-PnBDE #100 (1)	< 0.2		mg/kg TS
GC/MS (*)	2,2',4,4',5,5'-HxBDE #153 (1)	< 0.2		mg/kg TS
GC/MS (*)	2,2',4,4',5,6'-HxBDE #154 (1)	< 0.2		mg/kg TS

(\*) :Method not accredited by Swedac

(1) Result supplied by RPS Mountainheath, UK

 The stated uncertainty of measurement is calculated using a coverage  $k = 2$ . Measurement uncertainty for accredited microbiological analyses are available from the laboratory upon request.

(continued)



**SYNLAB Analytics & Services Sweden AB**  
 Box 1083, 581 10 Linköping, Sweden  
 Tel: + 46 13 254 900 · Fax: + 46 13 121 728  
 Registered 556152-0916 Registered office: Linköping, Sweden



Akred. nr 1006  
 Proving  
 ISO/IEC 17025



**REPORT** Page 2 (2)  
 issued by an Accredited Laboratory

**Report No. 19113572**

*Assigner*  
 SYNLAB Analytics & Services BV  
 Rotterdam

Steenhouwerstraat 15  
 3194 AG ROTTERDAM

*Applies to*

<b>Information about the project</b>	<b>Soil</b>
Project number	: 12999610

<b>Information about sample and sampling</b>			
Invoice reference	: P77650	Date of Arrival	: 2019-03-25
Sampling date	: 2019-03-21	Time of Arrival	: 1200
Sample name	: 12999610-001 M1-5		
Depth of sampling	: -		
Sampler	: -		

<b>Results of the analyses</b>				
<i>Test method</i>	<i>Analysis / Investigation of</i>	<i>Result</i>	<i>Uncertainty</i>	<i>Unit</i>
GC/MS (*)	2,2',3,4,4',5',6-HpBDE #183 (1)	< 0.2		mg/kg TS
GC/MS (*)	DekaBDE #209 (1)	< 0.2		mg/kg TS
(*) :Method not accredited by Swedac				
(1) Result supplied by RPS Mountainheath, UK				

The stated uncertainty of measurement is calculated using a coverage k = 2. Measurement uncertainty for accredited microbiological analyses are available from the laboratory upon request.

Linköping 2019-04-08

The report has been reviewed and approved by

Responsible reviewer

Control numbers 2781 6007 8785 6746


**SYNLAB Analytics & Services Sweden AB**

 Box 1083, 581 10 Linköping, Sweden  
 Tel: + 46 13 254 900 · Fax: + 46 13 121 728  
 Registered 556152-0916 Registered office: Linköping, Sweden

 Akred. nr 1006  
 Provning  
 ISO/IEC 17025

**REPORT**

Page 1 (2)

issued by an Accredited Laboratory

**Report No. 19113573**

Assigner

 SYNLAB Analytics & Services BV  
 Rotterdam

 Steenhouwerstraat 15  
 3194 AG ROTTERDAM

Applies to

**Information about the project**
**Soil**

Project number : 12999610

**Information about sample and sampling**

Invoice reference	: P77650	Date of Arrival	: 2019-03-25
Sampling date	: 2019-03-21	Time of Arrival	: 1200
Sample name	: 12999610-002 M1-6		
Depth of sampling	: -		
Sampler	: -		

**Results of the analyses**

Test method	Analysis / Investigation of	Result	Uncertainty	Unit
SS-EN 11465	Dry substance	88.6	± 8.86	%
SIS-CEN/TS 16190:2013mod	2378 TCDD	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	12378 PeCDD	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	123478 HxCDD	< 2	± 0.70	ng/kg DS
SIS-CEN/TS 16190:2013mod	123678 HxCDD	< 2	± 0.70	ng/kg DS
SIS-CEN/TS 16190:2013mod	123789 HxCDD	< 2	± 0.70	ng/kg DS
SIS-CEN/TS 16190:2013mod	1234678 HpCDD	7.4	± 2.2	ng/kg DS
SIS-CEN/TS 16190:2013mod	OCDD	30	± 9.0	ng/kg DS
SIS-CEN/TS 16190:2013mod	2378 TCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	12378 PeCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	23478 PeCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	123478 HxCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	123678 HxCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	123789 HxCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	234678 HxCDF	< 2	± 0.60	ng/kg DS
SIS-CEN/TS 16190:2013mod	1234678 HpCDF	< 5	± 1.5	ng/kg DS
SIS-CEN/TS 16190:2013mod	1234789 HpCDF	< 5	± 1.5	ng/kg DS
SIS-CEN/TS 16190:2013mod	OCDF	< 10	± 3.0	ng/kg DS
Calculated acc. NATO	I-PCDD/F-TEQ Lower Bound	0.10	± 0.70	ng/kg DS
Calculated acc. NATO	I-PCDD/F-TEQ Upper Bound	5.9	± 2.1	ng/kg DS
Calculated acc. WHO2005	WHO-PCDD/F-TEQ LB	0.10	± 0.70	ng/kg DS
Calculated acc. WHO2005	WHO-PCDD/F-TEQ UB	6.4	± 2.2	ng/kg DS
	Dry substance (1)	88.8		%
GC/MS (*)	2,4,4'-TrBDE #28 (1)	< 0.2		mg/kg TS
GC/MS (*)	2,2',4,4'-TeBDE # 47 (1)	< 0.2		mg/kg TS
GC/MS (*)	2,2',4,4',5-PnBDE #99 (1)	< 0.2		mg/kg TS
GC/MS (*)	2,2',4,4',6-PnBDE #100 (1)	< 0.2		mg/kg TS
GC/MS (*)	2,2',4,4',5,5'-HxBDE #153 (1)	< 0.2		mg/kg TS
GC/MS (*)	2,2',4,4',5,6'-HxBDE #154 (1)	< 0.2		mg/kg TS

(\*) :Method not accredited by Swedac

(1) Result supplied by RPS Mountainheath, UK

 The stated uncertainty of measurement is calculated using a coverage  $k = 2$ . Measurement uncertainty for accredited microbiological analyses are available from the laboratory upon request.

(continued)



**SYNLAB Analytics & Services Sweden AB**  
 Box 1083, 581 10 Linköping, Sweden  
 Tel: + 46 13 254 900 · Fax: + 46 13 121 728  
 Registered 556152-0916 Registered office: Linköping, Sweden



Akred. nr 1006  
 Proving  
 ISO/IEC 17025



**REPORT** Page 2 (2)  
 issued by an Accredited Laboratory

**Report No. 19113573**

*Assigner*  
 SYNLAB Analytics & Services BV  
 Rotterdam

Steenhouwerstraat 15  
 3194 AG ROTTERDAM

*Applies to*

<b>Information about the project</b>	<b>Soil</b>
Project number	: 12999610

<b>Information about sample and sampling</b>			
Invoice reference	: P77650	Date of Arrival	: 2019-03-25
Sampling date	: 2019-03-21	Time of Arrival	: 1200
Sample name	: 12999610-002 M1-6		
Depth of sampling	: -		
Sampler	: -		

<b>Results of the analyses</b>				
<i>Test method</i>	<i>Analysis / Investigation of</i>	<i>Result</i>	<i>Uncertainty</i>	<i>Unit</i>
GC/MS (*)	2,2',3,4,4',5',6-HpBDE #183 (1)	< 0.2		mg/kg TS
GC/MS (*)	DekaBDE #209 (1)	< 0.2		mg/kg TS
(*) :Method not accredited by Swedac				
(1) Result supplied by RPS Mountainheath, UK				

The stated uncertainty of measurement is calculated using a coverage  $k = 2$ . Measurement uncertainty for accredited microbiological analyses are available from the laboratory upon request.

**Comment**

*The analysis is performed according to standard, ie on the fraction of the submitted sample that is < 2 mm.*

Linköping 2019-04-08

The report has been reviewed and approved by

Responsible reviewer

Control numbers 2681 6807 8789 6640